

Directly Observed Procedural Skills (DOPS)

Trainee's Full Name:			
Hospital:			
Trainee's I.C. No.:		Date of Assessment:	/ / 20__

PROCEDURE: DOUBLE LUMEN TUBE (DLT) INSERTION

	SATISFACTORY	NEEDS IMPROVEMENT	COMMENTS
Knowledge -indication, patient assessment (ABG, lung function test, radiology, risk of contra-lateral lung soiling, bronchopleural fistula), airway anatomy, left/right & size selection	<input type="checkbox"/>	<input type="checkbox"/>	
Pre-procedural equipment preparation - DLT integrity, connections to breathing circuit, set-up of bronchoscope & camera system	<input type="checkbox"/>	<input type="checkbox"/>	
Induction and maintenance of anaesthesia for patient requiring one-lung ventilation	<input type="checkbox"/>	<input type="checkbox"/>	
Technique of DLT insertion and inflation of cuffs	<input type="checkbox"/>	<input type="checkbox"/>	
Confirmation of correct placement – end-tidal CO ₂ , chest auscultation, bronchoscopy	<input type="checkbox"/>	<input type="checkbox"/>	
Correct lung isolation technique	<input type="checkbox"/>	<input type="checkbox"/>	
Knowledge and/or appropriate management of desaturation during one-lung ventilation	<input type="checkbox"/>	<input type="checkbox"/>	

Overall Ability to Perform Procedure	Competent to Perform Unsupervised <input type="checkbox"/>	Requires Direct Supervision (Repeat DOPS) <input type="checkbox"/>
---	--	--

Comments and feedback: *(aspects of good practice/suggested areas for learning and development)*

Supervisor's Position: Consultant Specialist

Supervisor's Name:			
Supervisor's Signature:		Trainee's Signature:	