


## 16 Ports PoE Switch

The 16 ports PoE switch is an unmanaged PoE Ethernet switch along with 16 \* 10/100Base-TX downlink PoE ports and 2 \* 10/100/1000Base-T uplink Ethernet ports featuring 30-watt 802.3at PoE+ as well as 1 additional Gigabit Combo port. The total PoE power budget is up to 270 watts. It supports web-based PoE management and real-time PoE output LED display. The device can be widely used in video security monitoring systems, network projects, etc.




### Model

POE-1016M-1G1C



### Application



# SPECIFICATIONS

Item	POE-1016M-1G1C
Downstream Ports	16* 10/100Base-TX (PoE)
Uplink Ports	2*10/100/1000Base-T and 1*1000Base-X/SFP( Combo)
Network Standard	IEEE802.3 、 IEEE802.3u、 IEEE802.3ab、 IEEE802.3z、 IEEE802.3X
Switch Capacity	7.2Gbps
Throughput	5.36Mpps
Switch Processing Scheme	Store and Forward
Memory Buffer	2.75M
MAC Table	4K
PoE Standard	802.3af/at(PSE) End-span
Power Pin Assignment	1/2(+), 3/6(-)
PoE Power Output	54V DC , 30 watts max
PoE Budge	270 watts max
PoE Management	Via Web( Default IP Address 192.168.1.200) to check, on/off and adjust each port PoE output
Lightning Protection	6KV Execute: IEC61000-4-5
ESD	6KV Contact discharge 8KV Air discharge Execute: IEC61000-4-2
Power Supply	100~240V AC; 50/60Hz
Power Dissipation	< 300W(Including PoE)
Work Temperature	-10°C~50°C
Storage Temperature	-40°C~85°C
Humidity (Non-consideration)	5%-95%
Dimension (LxWxH)	442mm×207mm×44.5mm
Weight	2.69kg
Regulator	CE、 FCC、 ROHS